





中国认可 国际互认 检测 TESTING CNAS L4743

Test Report

No. AJFS2101000087FF

Date: JAN.14, 2021

Page 1 of 6

The following sample(s) information was / were submitted and identified on behalf of the client. SGS is not responsible for the authenticity, integrity and results of the data and information and / or the validity of the conclusion arising therefrom. Results apply to the sample as received.

Sample Description: MOLDED GRATING, 38mm THICK, 38x38mm MESH, ISO RESIN

Color: YELLOW Thickness: 38mm

Style/Item No.: 38X38mm MESH

Composition: FRP

Test Requested:

BS 476 Part 7:1997 *Incorporating Corrigendum No.1:2014* "Fire tests on building materials and structures Part 7: Method of test to determine the classification of the surface spread of flame of products".

Test Results: -- See attached sheet -

Test Period:

Sample Receiving Date

: JAN.07, 2021

Test Performing Date

JAN.07, 2021 TO JAN.11, 2021

Signed for and on behalf of SGS-CSTC Co., Ltd. Anji Branch

Allen Zou Lab Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overlead, sivaliable on request or accessible at http://www.sgs.com/ser/Terms-and-Conditions, asps and, for electronic format documents as http://www.sgs.com/ser/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-Document asps Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is considered that intermediate contained herein reflects the Company is indicing at the time of its intervention only and within the limits of transaction from exercising all their rights and obligations under the transaction of the source of the second of the se

Attention:To check the authenticity of testing / inspection report & certificate, please contact us at telephone (86-755) 838 1443, or email: CN Descheck@sgs.com

No. 301, Sunlight Road, 2 Block, Sunlight Industry Zone, Anji County, Zhejang Province, China 313300 t (65-572) 50(825 f (86-572) 50(829) www.spsgroup.com.cn 中國·斯江·安吉县阳光工业园二区阳光大道301号 邮第:313300 t (65-572) 50(825 f (86-572) 50(829) e ags.china@ags.com



No. AJFS2101000087FF

Date: JAN.14, 2021

Page 2 of 6


I. Test conducted


This test was performed in accordance with the procedure specified in BS 476 Part 7:1997 *Incorporating Corrigendum No.1:2014* "Fire tests on building materials and structures Part 7. Method of test to determine the classification of the surface spread of flame of products".

II. Sample details

Sample description	Molded Grating			
Thickness	About 3.6mm			
Color	Yellow			
Specimen size	880mm×270mm			

^{*} Specimen Surface characteristics deviate from standard requirements.





To be continued....



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed workeds, available on request or accessible at http://www.sps.com/infarmes.and-conditions.asps and, for electronic format documents as http://www.sps.com/infarmes.and-Conditions.forms-e-Documents subject to Terms and Conditions for Electronic Documents at http://www.sps.com/infarmes.and-Conditions/ferms-e-Documents asps. Attention is drawn to the limitation of islability, indemnification and jurisdiction issues defined them. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exence the parties of transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in fault, without price written approval of the Company. Any unauthor/ized alteration, focus or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the exults shown in this test report refer only to the sample(s) fested and such assigned; are retained of 3d days only.

No. 301, Sunlight Road, 2 Block, Sunlight Industry Zone, Anji County, Zhejang Province, China 313300 t (85-572) 50(825 f (85-572) 50(825 g (85-572) 50(825



No. AJFS2101000087FF

Date: JAN.14, 2021

Page 3 of 6

III. Test details

Conditioning of specimens:	Prior to testing, the sample was conditioned to constant mass at a temperature of 23 \pm 2 °C, and a relative humidity of 50 \pm 10 %, and maintained in this condition until required for testing.
Exposed Face:	One surface

Irradiance along horizontal reference line on the calibration board

Distance along reference line from inside edge of specimen holder	Irradiance kW/m²			
mm	Specified	Min.	Max.	
75	32.5	32.0	33.0	
225	21.0	20.5	21.5	
375	14.5	14.0	15.0	
525	10.0	9.5	10.5	
675	7.0	6.5	7.5	
825	5.0	4.5	5.5	

To be continued....



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed varieties, available on request or accessible at http://www.ags.com/inpriserns-and-Conditions.ago, and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <a href="http://www.ags.com/inpriserns-and-Conditions/Terms-and



No. AJFS2101000087FF

Date: JAN.14, 2021

Page 4 of 6

IV. Test results

SPECIMEN No.	1	2	3	4	5	6
Distance (mm)	Time to travel to indicated distance (minutes:seconds)					
75						
165						
190						
215						
240						
265						
290						
375						
455						
500						
525						
600						
675						
710						
750						
785						
825						
Maximum distance traveled at 1.5 minutes (mm)						
Maximum distance traveled during the whole test (mm)				-		
Time to reach maximum distance traveled						

Note: 1. "--" Not reached the reference line

Six specimens are usually tested. If the test on any specimen is deemed to be invalid, as defined in the standard, it is permissible for up to a maximum of nine specimens to be tested in order to obtain the six valid test results.

The classification limits specified in BS 476-7:1997 *Incorporating Corrigendum No.1:2014* are given in Appendix 1.

Observations during test: The specimens did not ignite.

To be continued....



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlead, available on requised or accessible at http://www.sas.com/cfrems-and-Conditions.sin for electronic formal documents subject to Terms and Conditions for Electronic Documents at http://www.sas.com/cfrems-and-Conditions/forms-and-C

Attention:To check the authenticity of testing / inspection report & certificate, please centact us at telephone (\$6-755) \$39 1443, or small CN Doccheck@sgs.com

No. 301, Surlight Road, 2 Block, Surlight Industry Zone, Anji County, Zhejang Province, China 313300 t (85-572) 5(1862) f (85-572) 5(1862) www.agsgroup.com.cn 中國 -新江 - 安吉县积光工业园二区阳光大道301号 邮箱:313300 t (85-572) 5(1862) f (85-572) 5(1862) e ags.china@ags.com



No. AJFS2101000087FF

Date: JAN.14, 2021

Page 5 of 6

Criteria for classification:

If the prefix "D" or suffix "R" or "Y" is included in the classification, this indicates that the results should be treated with caution. An explanation of the reason for prefix and suffixes is given in Appendix 2

Appendix 1 Classification of spread of flame

Classification	Sprea	d of flame at 1.5 min	Final spread of flame		
	Limit (mm)	Limit for one specimen in sample(mm)	Limit (mm)	Limit for one specimer in sample(mm)	
Class 1	165	165+25	165	165+25	
Class 2	215	215+25	455	455+45	
Class 3	265	265+25	710	710+75	
Class 4	Exceeding the limits for class 3				

Appendix 2 Explanation of prefix and suffixes which may be added to the classification

- A suffix R is added to the classification if more than six specimens are required in order to obtain six valid test results (e.g. class 2R).
- 2. A prefix D is added to the classification of any product which does not conform to the surface characteristics specified in the standard and has therefore been tested in a modified form (e.g. class D3).
- 3. A suffix Y shall be added to the classification if any softening and/or other behaviour that may affect the flame spread occurs.

<u>Classification</u>: In accordance with the class definitions given in BS 476 Part 7:1997 *Incorporating Corrigendum No.1:2014*, the tested sample is classified as <u>Class 1</u>.

Statements:

This declaration of conformity is only based on the result of this laboratory activity, the impact of the uncertainty of the results was not included.

The test results relate to the behaviour of the test specimens of a product under the particular conditions of the test. They are not intended to be the sole criterion for assessing the potential fire hazard of the product in use.

The test results relate only to the specimens of the product in the form in which were tested. Small differences in the composition or thickness of the product may significantly affect the performance during the test and may therefore invalidate the test results. Care should be taken to ensure that any product, which is supplied or used, is fully represented by the specimens, which were tested.

To be continued....



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlead, available on request or accessible at http://www.sax.com/en/Terms-and-Conditions.asox and, for electronic format documents as http://www.sax.com/en/Terms-and-Conditions/Terms-and-Conditi

No. 301, Sunlight Road, 2 Block, Sunlight Industry Zone, Anji County, Zhejang Provinca, China 313300 t (8/5/27) 5(18625 f (8/6/27) 5(18629 www.agsgroup.com.cn 中国・新江・安吉县阳光工业园二区阳光大道301号 邮第:313300 t (8/6/27) 5(18625 f (8/6/27) 5(18629 e ags.china@ags.com




No. AJFS2101000087FF

Date: JAN.14, 2021

Page 6 of 6

Photo Appendix:



SGS authenticate the photo on original report only

End of Report



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overlead, available on request or accessible at http://www.sax.com/ricema-and-conditions.asp and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sax.com/ricema-and-conditions/Terms-e-Document aspaced to Terms and Conditions for Electronic Documents at http://www.sax.com/ricema-and-Conditions/Terms-e-Document aspaced that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits to Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forcy or faelification of the content o appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained of 30 days only.

Attention To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 83(1443, or email: CN Doccheck@bags.com

No. 301, Surlight Road 2 Book, Surlight Industry Zone, Anji County, Zhejjang Province, China 313300 t (85-572) 5(1862) f (86-572) 5(1862) www.sgsgroup.com.cn 中国 -新江 - 安吉县阳光工业园二区阳光大道301号 邮第:313300 t (85-572) 5(1862) f (86-572) 5(1862) e sgs.china@ags.com